



**SEALANTS & ADHESIVES  
THAT DELIVER HIGH  
PERFORMANCE  
WITHOUT THE RISKS**

PRODUCT CATALOG



## COMMITMENT TO SUSTAINABILITY



Never before has the impact of sustainable construction been so important than it is in our world today. Since day one Chem Link has been an environmentally conscious company. Our corporate commitment can be summarized in three primary categories of our business:

- **Engaged Employees**
- **Products & Sustainable Development**
- **Responsible Manufacturing**

Our specialty lies in the development of Silyl Terminated Polyether Technology (STPE). Inherently solvent free with little to no VOC content, this technology poses no threat to installers or building occupants and is environmentally friendly. These products are used throughout the SOPREMA Group of companies in a variety of applications and types of construction.

As a SOPREMA Group company, being on the forefront of responsible product design, sustainable operations and engaging our employees to participate in pushing the envelope for a greener tomorrow, has been at the heart of the company's mission and core values for years.



# ADHESIVES, SEALANTS, SYSTEMS & ACCESSORIES

RESIDENTIAL ■ COMMERCIAL ■ SPECIALTY



## ROOFING

Chem Link offers a variety of non-toxic, solvent free roofing sealants and adhesives, in both the capstone polyether and innovative silicone technologies. The essential **M-1® Universal Adhesive & Sealant** product is unmatched, bonding and sealing a wide range of construction materials, while the **DuraLink®** line accommodates joint movement and color matching. Chem Link's unique **E-Curb®** system is designed specifically for sealing roof penetrations of any size or shape.



## CONCRETE & MASONRY

**NovaLink®** is a line of non-toxic, high quality, moisture curing elastomeric waterproofing sealants that are designed to be used with many building materials, while withstanding damp, dry or cold conditions.



## SPECIALTY

Chem Link offers a line of specially formulated products for highly sensitive clean rooms, below-water marine applications and sealing close fitting joints and seams in recreational vehicles.



## WINDOWS, DOORS, & SIDING

Chem Link's **DuraLink®** product line offers a high quality, moisture cure sealant that are 100% solid and will not shrink. With multiple joint movement options, the ability to bond to most construction materials and extensive color matching, it's the perfect line for sealing around windows, doors and siding.



## MULTI-PURPOSE

Chem Link offers several multi-purpose products in both the capstone polyether and innovative silicone technologies to seal a wide range of construction materials. The **M-1® Universal Adhesive & Sealant** is essential on any jobsite. Another multi-purpose sealant, **Clear**, comes in a transparent formulation for multiple applications and surfaces.



## FLOORING & WALLS

The **Secure** product line includes adhesives for bonding drywall, gypsum, stone, foam and ceiling systems along with a fast setting structural adhesive for "panel on frame" assemblies in commercial and residential construction.

# CORE STPE TECHNOLOGY

## POLYETHER

### DO NO HARM

- Safe for workers, occupants and the environment
- No solvents or HAPs
- No possibility of outgassing
- Qualifies for Indoor Air Quality LEED points

### WITH HIGH PERFORMANCE

- Moderate to extremely high quality
- Moderate to excellent movement capabilities
- UV resistance better than urethanes
- Great compatibility with a wide range of raw materials

### FORMULATIONS

- Hybrid sealant, combining many of the best attributes of a silicone and a urethane
- Offers the formulator great flexibility in product design
- Extremely broad range of properties with 1500% elongation sealants, 1000+ psi adhesives, & everything in between



# TABLE OF CONTENTS

6	M-1	
8	DuraLink	
10	NovaLink	
13	Curb Penetration Systems	
18	Pourable Sealants 1-Part	
19	Silicones & Miscellaneous Durasil MetaLink Clear	
22	Secure	
24	Accessories	



# M-1<sup>®</sup>

M-1 Universal Adhesive & Sealant is a versatile, moisture curing, high performance polyether adhesive sealant designed for difficult construction site conditions such as wet or dry climates. Following Chem Link's dedication to sustainability, M-1 is solvent-free and safe for workers, occupants and the environment.

- Non-slump, applies vertically and overhead
- Can be applied on damp surfaces
- 390 pli of shear strength
- 370 pli of tensile strength
- 111 pli of tear strength
- 525% Elongation
- +/- 35% joint movement
- 20 minute skin over - paintable within 24 hours



## AMAZON SPHERES SEATTLE, WASHINGTON

Amazon created a one-of-a-kind vision for their headquarters in Seattle, Washington featuring three spherical conservatories filled with live plants and trees. In order to drive the philosophy of the living green space, M-1 was chosen as a key product in construction due to its high performing, solvent-free, environmentally friendly features.



## M-1 Universal Adhesive & Sealant

M-1 is a moisture cure, multi-purpose structural adhesive & sealant designed for bonding and sealing a wide range of construction materials. M-1 forms a tough elastic waterproof seal to most roofing materials, masonry, wood, glass, aluminum and foam. M-1 bonds well to most building surfaces including: metal flashing, copings, skylights, and HVAC surfaces.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S) <small>In stock colors - other colors available made to order</small>				APPLICATIONS
F1277	5 oz squeeze tube/36 per master pack	 White				  
F1209	10.1 oz cartridge/16 per field pack	 White	 Gray	 Black	 Limestone	
F1270	10.1 oz cartridge/24 per carton	 White	 Gray	 Black	 Limestone	
		 Tan	 Dark Bronze			
F1190	20 oz sausage/12 per carton	 White		 Gray		
F1204	28 oz sausage/12 per carton	 White	 Gray	 Black		
F1205	2 gallon pail					
F1206	5 gallon pail	 Gray				
50 Gal*	50 gallon drum	*Available by made to order				



## M-1 CR Clean Room Certified Adhesive/Sealant

M-1 CR (Clean Room) is a thermosetting, moisture cure sealant which does not contain solvent or isocyanates. M-1 CR has been tested for airborne molecular contamination and is approved for semiconductor clean room use. Fully cured M-1 CR releases virtually no molecular air contamination at room temperature. M-1 CR is specified for biomedical, electronics, and aerospace clean rooms where contamination of the air and working surfaces cannot be tolerated.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)		APPLICATIONS
F1224	10.1 oz cartridge/16 per field pack	 White	 Gray	



## M-1 Marine Grade Moisture Cure Adhesive/Sealant for Below Water

M-1 Marine is a moisture cure adhesive/sealant formulated for applications above or, post cure, below the water line. M-1 Marine is free of solvents and isocyanates, will not shrink upon curing or discolor from ultraviolet exposure, and will not bubble on damp surfaces.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)		APPLICATIONS
F1274	10.1 oz cartridge/12 per carton	 White	 Gray	



# DuraLink®

DuraLink elastomeric joint sealants are moisture curing, 100% solid and solvent-free. DuraLink is designed to adhere to a variety of materials including wood, glass, EIFS, galvanized steel, masonry and other common building materials subject to movement. DuraLink meets ASTM C920 and is available in class 35 and 50 for joint movement.

- Solvent free, 100% solids - will not shrink
- Non-slump, applies vertically and overhead
- Non-staining, no outgassing
- Can be applied on damp surfaces
- Color stability
- Paintable within 24 hours



## Custom Color Matching with Over 100 Color Options Available

Chem Link has developed a unique color matching system for DuraLink 35 and DuraLink 50 to create custom color matching to popular manufacturer material colors. Visit [www.chemlink.com](http://www.chemlink.com) to view the custom color match tool.



## DuraLink 35 Multi-Purpose Sealant

DuraLink 35 is a multi-purpose, moisture cure, elastomeric sealant that combines economy and high performance. DuraLink 35 has excellent elastomeric properties which is ideal for a wide range of applications including difficult surfaces such as Kynar 500® PVDF and other anodized metals and coatings. DuraLink 35 is isocyanate free, paintable and SWRI validated for ± 35% joint movement.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S) <small>In stock colors - other colors available made to order</small>				APPLICATIONS
F1263*	10.1 oz cartridge/12 per carton (siding)	White	Stone	Limestone	Aluminum Gray	
		Gray	Tan	Dark Bronze	Medium Bronze	
F1263	10.1 oz cartridge/24 per carton (roofing)	Black	Almond	Terra Cotta	Forest Green	
		Weathered Wood	*Refer to chemlink.com for color matching for popular siding manufactures.			
F1268*	20 oz sausage/12 per carton	*Available by made to order				
F1243*	2 gallon pail					
F1229*	5 gallon pail					
50 Gal*	50 gallon drum					

\*4 digit color code suffix is added to item numbers to indicate custom color selection. For more information visit [www.chemlink.com](http://www.chemlink.com) and view the custom color match tool.



## DuraLink 50 Super Adhesion Sealant

DuraLink 50 is an extremely elastic, moisture cure, elastomeric sealant designed for use in roofing, cementitious siding, metal architecture, curtain wall construction and joints subject to movement. DuraLink 50 has excellent elastomeric properties which is ideal for a wide range of applications including difficult surfaces such as Kynar 500® PVDF and other anodized metals and coatings. DuraLink 50 is isocyanate free, paintable and SWRI validated for ± 50% joint movement.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S) <small>In stock colors - other colors available made to order</small>				APPLICATIONS
F1260	10.1 oz cartridge/24 per carton	White	Stone	Limestone	Aluminum Gray	
		Gray	Tan	Dark Bronze	Medium Bronze	
		Black	Almond	Terra Cotta	Forest Green	
		Weathered Wood				
F1261	20 oz sausage/12 per carton	White	Gray	Dark Bronze	Almond	
		Black	Terra Cotta			
F1210	28 oz cartridge/12 per carton	Gray				
F1219*	2 gallon pail	*Available by made to order				
F1220*	5 gallon pail					
50 Gal*	50 gallon drum					

\*4 digit color code suffix is added to item numbers to indicate custom color selection. For more information visit [www.chemlink.com](http://www.chemlink.com) and view the custom color match tool.



# NovaLink<sup>®</sup>

NovaLink sealants cure to a durable elastomeric rubber with excellent adhesion to common building materials. In addition, NovaLink sealants provide important properties not typically found in common concrete sealants such as urethanes and acrylics.

- Solvent free, 100% solids - will not shrink
- Non-staining, no outgassing
- Can be applied on damp surfaces
- Good color stability
- Paintable within 24 hours



## Polyether Technology Ideal for Damp Concrete

Polyether chemistry at work: moisture actually speeds up curing, unlike typical urethanes, which bubble on damp concrete, making NovaLink ideal for damp concrete surfaces.



## NovaLink 35 Joint Sealant

NovaLink 35 is a multi-purpose, moisture cure, construction sealant specially formulated for application in damp, dry and cold conditions. NovaLink 35 is UV resistant and will not suntan. NovaLink 35 is designed for use with many building materials including concrete, glass, metal and most roofing materials. NovaLink 35 seals expansion joints, flashings, windows, doors, and roofing joints. NovaLink 35 is isocyanate free, paintable and SWRI validated for  $\pm$  35% joint movement.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S) <small>In stock colors - other colors available made to order</small>				APPLICATIONS
F1240	10.1 oz cartridge/24 per carton	White	Stone	Limestone	Aluminum Gray	
		Gray	Tan	Dark Bronze	Medium Bronze	
		Black	Almond	Terra Cotta	Redwood Tan	
F1253	20 oz sausage/12 per carton	Stone	Limestone	Aluminum Gray	Gray	
F1245*	2 gallon pail	Tan	Black	<small>*Available by made to order</small>		
F1246*	5 gallon pail					
F18101*	50 gallon drum					



## NovaLink TX Texturized Elastomeric Sealant

NovaLink TX is a gun grade polyether, moisture cure, texturized elastomeric sealant, formulated for use on expansion joints where a textured appearance is required. NovaLink TX has excellent adhesion to most construction materials including cementitious siding, concrete, glass, roofing, metal and Kynar 500® PVDF-coated metals. NovaLink TX is isocyanate free, paintable and SWRI validated for  $\pm$  35% joint movement.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S) <small>In stock colors - other colors available made to order</small>				APPLICATIONS
F1241	10.1 oz cartridge/24 per carton	White	Stone	Gray	Dark Bronze	
		Black	Redwood Tan	Special Bronze	Special Gray	
F1248*	20 oz sausage/12 per carton	<small>*Available by made to order</small>				



## NovaLink SL Pool & Deck Joint Sealant

NovaLink SL Pool & Deck Joint Sealant is a self-leveling, moisture cure, construction sealant specially formulated for application in damp or dry horizontal concrete expansion joints. NovaLink SL Pool & Deck Joint Sealant levels to a smooth even finish and bonds well to masonry, wood, aluminum, steel, slate, natural stone, clay tile, aged asphalt, and most other construction materials. It will not outgas or bubble when applied to damp concrete. NovaLink SL Pool & Deck Joint Sealant is isocyanate free, paintable and validated for  $\pm$  25% joint movement.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)			APPLICATIONS
F1239	68 oz/4 per carton	Gray	Stone	Charcoal Gray	

Note: In stock colors subject to change based on seasonal availability.



## NovaLink SL Self-Leveling Sealant

NovaLink SL is a self-leveling, moisture cure, construction sealant specially formulated for application in damp or dry horizontal concrete expansion joints. NovaLink SL levels to a smooth level finish and bonds well to masonry, wood, aluminum, steel, slate, natural stone, clay tile, aged asphalt, and most other construction materials. NovaLink SL will not outgas or bubble when applied to damp concrete. NovaLink SL is isocyanate free, paintable and SWRI validated for  $\pm 25\%$  joint movement.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S) <small>In stock colors - other colors available made to order</small>		APPLICATIONS
F1234	10.1 oz cartridge/24 per carton	 Gray	 Stone	
F1233	28 oz cartridge/12 per carton	 Gray	 Stone	
F1238*	20 oz sausage/12 per carton	*Available by made to order		
F1236*	2 gallon pail			
F1247*	5 gallon pail			
F1249*	50 gallon drum			

## NovaLink WM Liquid Applied Waterproofing Membrane



NovaLink WM is a cold applied, single component, waterproofing membrane that cures by exposure to atmospheric and substrate moisture to form a continuous, tough, reinforced elastic seal. NovaLink WM is solvent free and may be applied to green concrete without outgassing. It can be used in confined spaces with standard personal protection equipment. NovaLink WM cures to an elastomeric rubber that is resistant to thermal shock. It will not crack in extreme cold or slump due to softening and high temperatures like conventional asphalt or coal tar based coatings often will.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)	APPLICATIONS
F1118*	2 gallon pail	 Black	 
F1117	5 gallon pail		



## NovaLink FP Flash & Patch

NovaLink FP is a high quality, moisture curing elastomeric waterproofing and sealant designed to fill, seal and level grout lines, voids, seams and surface damage on construction materials prior to application of liquid waterproofing. NovaLink FP may also be used for repairing roof leaks, asphalt shingles, roof valleys and seams, chimney flashings, and emergency roof repairs.


PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)	APPLICATIONS
F1110	10.1 oz cartridge/24 per carton	 Black	 



# Curb Systems

To protect the original investment of the roof, avoid callbacks and prevent damage caused by water, building owners and contractors should choose the most effective, proven, long-term penetration seals available: Chem Link's ChemCurb® & E-Curb® Systems. Curbs can turn the weakest part of a building's roof into the strongest.

- Easy to install - normally fewer than 15 minutes per penetration
- Fits any size or shape penetration allowing for unlimited configurations
- Can be bonded to a wide range of surfaces
- Sealants & adhesives are 100% solids and do not shrink
- E-Curb and ChemCurb installations are impervious to ice, corrosion, UV light and ponding water



## Curbs for Solar Mounts

E-Curbs provide an efficient penetration seal system for mounting solar panel frames. Superior to other penetration seal systems, E-Curbs will not corrode, shrink, or create additional penetrations with fasteners during installation. E-Curbs offer flexible configurations and are easy to install, saving time and labor.



## ChemCurbs

Heavy-duty ChemCurbs are composed of tough, polyester resin two inches in height and are available in a variety of shapes and sizes. These components can be configured for square, rectangular, round or oval patterns of varying sizes to accommodate virtually any type and number of penetrations.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)		APPLICATIONS
F1305P	2" ChemCurb corners 8 corners/carton	 Gray		 
F1304P	6" ChemCurb straights 8 straights/carton			
F1303P	12" ChemCurb straights 8 straights/carton			
F1302P	5" Diameter ChemCurb rounds 6 curbs/carton			
F1301P	7.5" Diameter ChemCurb rounds 4 curbs/carton			



## E-Curbs

Economical thinner-walled, lighter-weight E-Curbs are composed of tough, vinyl resin and are engineered with a flange to ensure a watertight seal. They are available in a variety of sizes and shapes and can be used to create virtually any configuration to surround penetrations.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)		APPLICATIONS
F1355	2" E-Curb corners - 90° radius 16 corners/carton	 Gray  White		 
F1364 <small>*White</small>	3" E-Curb straights 16 straights/carton			
F1356	8" E-Curb straights 16 straights/carton			
F1333 <small>*White</small>	3" Diameter E-Curb round 24/carton			
F1357	4" Diameter E-Curb round 12/carton			
F1362 <small>*White</small>	4.5" x 3.5" rectangle E-Curb 12/carton			
F1366	5" Diameter E-Curb round 12/carton			
F1352	6" Diameter E-Curb round 6/carton			
F1353	9" Diameter E-Curb round 5/ carton			



## ChemCurb Kits

ChemCurb kits include bisected circular pieces with inside diameters of 5 or 7.5 inches, 1-Part Pourable Sealant and M-1 Universal Adhesive & Sealant to complete installation. The Pro Pack® ChemCurb Kits include bisected circular pieces with inside diameter of 5 or 7.5 inches, M-1 Universal Adhesive & Sealant, Pro Pack resin and hardner, a mixing paddle and warranty card.

PRODUCT CODE <small>*Made to order</small>	SIZING/KIT CONTENTS	STANDARD COLOR(S)	APPLICATIONS
F1307P	<b>5" Diameter Round 1-Part Kit</b> Contains: (3) curbs, (1) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant	 Gray	 
F1306P	<b>7.5" Diameter Round 1-Part Kit</b> Contains: (2) curbs, (2) ½ gal pouches of 1-Part Pourable Sealant (2) 10.1 oz cartridges of M-1 Universal Adhesive & Sealant		
F1300P	<b>7.5" Diameter Round Pro Pack Kit</b> Contains: (2) curbs, (1) 1 gal of Pro Pack Two-Part Urethane Sealant (black) (2) 10.1 oz cartridges of M-1 Universal Adhesive & Sealant		



## E-Curb Kits - Low Slope

E-Curb kit include bisected circular pieces with inside diameters of 3, 4, 5, 6 or 9 inches, and a 4.5 x 3.5 inch rectangle, 1-Part Pourable Sealant and M-1 Universal Adhesive & Sealant to complete installation.

PRODUCT CODE <small>*Made to order</small>	SIZING/KIT CONTENTS	STANDARD COLOR(S)	APPLICATIONS
F1331	<b>3" Diameter E-Curb Kit</b> Contains: (10) curbs, (8) 10.1 oz 1-Part Pourable Sealant, (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant	 Gray	 
F1354GR	<b>4" Diameter E-Curb Kit</b> Contains: (4) curbs, (1) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant		
F1363GR	<b>4.5"x 3.5" Rectangle E-Curb Kit</b> Contains: (4) curbs, (1) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant		
F1367GR	<b>5" Diameter E-Curb Kit</b> Contains: (3) curbs, (1) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant		
F1350	<b>6" Diameter E-Curb Kit</b> Contains: (3) curbs, (2) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant		
F1351	<b>9" Diameter E-Curb Kit</b> Contains: (2) curbs, (2) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant		



## E-Curb Kits - Low Slope (cont.)

E-Curb kit include bisected circular pieces with inside diameters of 3, 4, 5, 6 or 9 inches, a 4.5 x 3.5 inch rectangle, 1-Part Pourable Sealant and M-1 Universal Adhesive & Sealant to complete installation.

PRODUCT CODE <small>*Made to order</small>	SIZING/KIT CONTENTS	STANDARD COLOR(S)	APPLICATIONS
F1350WH	<b>6" Diameter E-Curb Kit</b> Contains: (3) curbs, (2) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant, (1) pint Low VOC TPO Primer	<input type="checkbox"/> White  	
F1351WH	<b>9" Diameter E-Curb Kit</b> Contains: (2) curbs, (2) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant, (1) pint Low VOC TPO Primer		
F1354WH	<b>4" Diameter E-Curb Kit</b> Contains: (4) curbs, (1) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant, (1) pint Low VOC TPO Primer		
F1367WH	<b>5" Diameter E-Curb Kit</b> Contains: (3) curbs, (1) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1oz cartridge of M-1 Universal Adhesive & Sealant, (1) pint Low VOC TPO Primer		
F1354WHNP	<b>4" Diameter E-Curb Kit</b> Contains: (4) curbs, (1) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant		
F1350WHNP	<b>6" Diameter E-Curb Kit</b> Contains: (2) curbs, (2) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant		
F1351WHNP	<b>9" Diameter E-Curb Kit</b> Contains: (2) curbs, (2) ½ gal pouch of 1-Part Pourable Sealant (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant		



## E-Curb Kits - Low Slope Silicone

DuraSil SL is a one-part pourable, neutral cure, silicone-based sealant designed for use in E-Curb penetrations on silicone roof coatings as well as around HVAC, electrical or mechanical equipment, solar panel mounts, and applications where 400°F (204°C) "hot pipe" service is needed.

PRODUCT CODE <small>*Made to order</small>	SIZING/KIT CONTENTS	STANDARD COLOR(S)	APPLICATIONS
F1334*	<b>3" Diameter Round Silicone Kit</b> Contains: (8) curbs, (1) 2 liter pouch of DuraSil SL Pourable Sealant, (2) 10.1 oz cartridge of DuraSil Sealant	<input type="checkbox"/> Gray  	
F1358*	<b>4" Diameter Round Silicone Kit</b> Contains: (4) curbs, (1) 2 liter pouch of DuraSil SL Pourable Sealant, (2) 10.1 oz cartridge of DuraSil Sealant		
F1359*	<b>6" Diameter Round Silicone Kit</b> Contains: (3) curbs, (2) 2 liter pouch of DuraSil SL Pourable Sealant, (2) 10.1oz cartridge of DuraSil Sealant		



## E-Curb Kits - Metal Roof

PRODUCT CODE <small>*Made to order</small>	SIZING/KIT CONTENTS	STANDARD COLOR(S)		APPLICATIONS
F1361*	<b>4" Diameter Round Kit</b> Contains: (4) curbs, (8) 10.1 oz cartridge of DuraLink 50	Gray	White	



## E-Curb Kits - Steep Slope

PRODUCT CODE <small>*Made to order</small>	SIZING/KIT CONTENTS	STANDARD COLOR(S)		APPLICATIONS
F1360*	<b>4" Diameter Round Kit</b> Contains: (4) curbs, (4) 10.1 oz cartridge of DuraLink 50, (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant	Gray	White	

# Pourable Sealants



## 1-Part® Pourable Sealant

1-Part is a moisture curing, pourable sealant designed for use in pitch pans and warranted ChemCurb/E-Curb penetration seals. 1-Part is suitable for application in damp, dry, or cold climates. 1-Part is solvent free, contains no isocyanates and will not shrink upon curing. 1-Part has resilient elastomeric properties and excellent adhesion to most construction materials.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)			APPLICATIONS
F1428	10.1 oz cartridge/24 per carton	<input type="checkbox"/> White			
F1400	28 oz cartridge/12 per carton	<input checked="" type="checkbox"/> Gray			
F1425	½ gallon pouch/4 per field pack	<input checked="" type="checkbox"/> Gray	<input type="checkbox"/> White	<input checked="" type="checkbox"/> Black	
F1426	½ gallon pouch/4 per carton				
F1427*	5 gallon pail	*Available by made to order			



## Pro Pack® Solvent-Free Urethane Pourable Sealer

Pro Pack is a two-part, pourable, 100% solids urethane sealant which requires mixing but delivers a much faster cure than 1-Part. Pro Pack is self-leveling, non-shrinking and cures to a flexible, long-lasting urethane seal.


PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)		APPLICATIONS
F1000	2 gallon kit/2 pails per carton	<input checked="" type="checkbox"/> Black		



## DuraSil® SL Pourable Silicone Sealant

DuraSil SL is a one-part, pourable, neutral cure, silicone-based sealant designed for use in E-Curb penetrations on silicone roof coatings as well as around HVAC, electrical or mechanical equipment, solar panel mounts, and applications where 400°F (204°C) "hot pipe" service is needed.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)		APPLICATIONS
F1223	2 liter pouch/4 per carton	<input checked="" type="checkbox"/> Gray		



# Silicones & Miscellaneous



## DuraSil High Performance Silicone Adhesive Sealant

DuraSil is a neutral cure silicone construction sealant used for a wide range of applications. It has outstanding weather resistance and durability in dry, cold, or wet conditions. DuraSil is stable to temperatures up to 400°F (204°C). DuraSil bonds well to Kynar 500® PVDF coated metal, copper, glass block, and other building materials. DuraSil may be used to seal windows, doors, curtain walls, marine, and transportation applications.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)	APPLICATIONS
F1211	10.1 oz cartridge/24 per carton	 Translucent	 
F1207*	20 oz sausage/12 per carton		
F1217*	5 gallon pail		



## MetaLink High Performance Silicone Metal Roof Sealant

MetaLink is a multi-purpose neutral cure silicone construction sealant specially formulated for application in a variety of job site conditions. MetaLink is UV resistant. MetaLink is designed for use with many building materials including galvanized aluminum, metal, Kynar 500® PVDF coated metal, glass, and most roofing materials. MetaLink is available in a wide range of colors to match contemporary tastes in decorative metal roof and siding products. MetaLink is isocyanate free and validated for ± 50% joint movement.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)	APPLICATIONS			
F1213	10.1 oz cartridge/12 per carton	 White				
		 Black				
		 Translucent				
		 Regal Blue				
		 Regal Blue		 Terra Red	 Buckskin	 Colonial Red
		 Slate Gray		 Hartford Green	 Mustang Brown	 Sierra Tan
		 Shake Gray		 Almond	 Dark Bronze	 Medium Bronze
 City Scape	 Mansard Brown	 Deep Charcoal	 Charcoal Gray			
 Terra Cotta	 Silver Metallic	 Champagne Metallic	 Copper Penny			
 Forest Green	 Caramel	 Brandywine				
F1226*	20 oz sausage/12 per carton	*Available by made to order				

Note: In stock colors subject to change based on seasonal availability.



### Clear General Purpose Sealant

Clear is a general purpose, high performance, moisture cure sealant that can be used to seal a wide range of construction materials. Clear forms a transparent, elastic, waterproof seal to most metal, anodized aluminum, glass, vinyl, wood, masonry, polystyrene and many engineered plastics. Clear bonds to most roofing, siding, window, metal flashing, and HVAC.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)		APPLICATIONS
F1212	10.1 oz cartridge/24 per carton	<input type="checkbox"/> Clear		



### DuraLink SSL Semi Self-Leveling Lap Sealant

DuraLink SSL is a semi self-leveling, moisture cure sealant designed for sealing close fitting metal joints and external seams in recreational vehicles. DuraLink SSL's unique flow properties allow easy application to fill gaps in lap joints and flanges without running excessively. Its flexible formulation was designed for applications on EPDM rubber & TPO membrane (with TPO primer), fiberglass, wood, aluminum, and steel.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)		APPLICATIONS
F1266WH	10.1 oz cartridge/24 per carton	<input type="checkbox"/> White	<input checked="" type="checkbox"/> Black	



### SBS-Modified Bitumen Adhesive

SBS-Modified Bitumen Adhesive is a solvent free, moisture cure adhesive designed for easy installation of bituminous membranes in difficult wet or cold environments without sacrificing performance. SBS-Modified Bitumen Adhesive is a unique, isocyanate free formula that is safe for occupied buildings such as schools, hospitals, or food processing plants where solvent vapors are not tolerated.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)		APPLICATIONS
F1618*	2 gallon pail		<input checked="" type="checkbox"/> Black	
F1619*	5 gallon pail			



### Single Ply EPDM Adhesive

Single Ply EPDM Adhesive is a 100% solvent free, moisture cure, single coat adhesive that is used to fully adhere EPDM rubber. Wall and curb flashings still require a coating of the underside of the rubber and flashing. Single Ply EPDM Adhesive is a patented, moisture cure formula that offers easy installation of EPDM in difficult, damp or cold environments. It is safe for occupied buildings such as schools, offices, hospitals, or food processing plants, where solvent vapors and odors are not tolerated.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)		APPLICATIONS
F1703*	2 gallon pail		<input type="checkbox"/> Clear	
F1702*	5 gallon pail			



### Low VOC TPO Primer

A solvent based liquid primer that is designed to comply with VOC regulations. It can be brush applied to EPDM or TPO roofing membranes, plastics, and any other difficult bonding surface.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)	APPLICATIONS
F1280LVOC	4 pints/carton	 Amber	



### FlashPack Liquid Flashing

FlashPack Liquid Flashing is designed to waterproof around odd shaped roof penetrations in difficult flashing conditions.

PRODUCT CODE <small>*Made to order</small>	SIZING/KIT CONTENTS	STANDARD COLOR(S)	APPLICATIONS
F1501*	(4) 2 liter pouch/carton	 Gray	
F1500	Kit Contains: (3) 2 liter pouch of Liquid Flashing (2) 10.1 oz cartridges of M-1 Universal Adhesive & Sealant, (1) 50 ft scrim, rubber gloves & trowel		



### Quick Cut Roof Cleaner

Quick Cut is an industrial strength cleaner specifically formulated to break the soil to surface bond and hold the particles in suspension for easy removal.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)	APPLICATIONS
F9932	(4) 1 gallon jugs per carton	 Clear	



# Secure

Chem Link's Secure line of polyether adhesives are high performance, non-toxic, solvent free and used in multiple applications for residential and commercial construction. Chem Link's Secure adhesives are safe for occupied buildings such as schools, hospitals, and other facilities where vapors and odors are not tolerated.

- Solvent free, 100% solids - will not shrink
- No outgassing on damp surfaces
- Environmentally friendly
- Superior adhesion
- Low VOC



## Low VOC, High Performance

Chem Link's Secure product line meets CARB & SCAQMD regulations for improving indoor air quality and reducing VOC emissions in compliance with respective Clean Air Acts.



## BuildSecure Multi-Purpose Construction Adhesive

BuildSecure is a fast setting, non-burning structural adhesive designed for various "panel on frame" assemblies in commercial and residential construction. BuildSecure is specially designed for bonding most construction materials including wood studs, galvanized steel framing, aluminum framing, rafters, subfloors, drywall, gypsum, stone, fiberglass, FRP panels, expanded polystyrene (EPS), and polyurethane foam. BuildSecure is a solvent free, non-flammable, moisture curing adhesive. It complies with all OSHA, State, Local and Federal air quality regulations.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)	APPLICATIONS
F1003-1024	10.1 oz cartridge/24 per carton	 Tan	
F1003-2012*	20 oz sausage/12 per carton		
F1003-2812*	28 oz cartridge/12 per carton		
F1003-2G*	2 gallon pail		
F1003-5G*	5 gallon pail		



## WallSecure High Performance Wall & Block Adhesive

WallSecure is a high solids, solvent free, fast setting, moisture cure adhesive. Specially designed for bonding drywall, gypsum, landscape blocks, capstones, stone, foam, fiberglass, FRP panels, and ceiling systems. WallSecure is ideal for filling gaps or forming bonds on irregular surfaces without shrinking. WallSecure complies with all OSHA, state, local and federal air quality regulations.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)	APPLICATIONS
F1005-1024	10.1 oz cartridge/24 per carton	 Tan	
F1005-2812*	28 oz cartridge/12 per carton		



## TileSecure Roof Tile Adhesive

TileSecure is a one part, moisture cure, adhesive designed for quick and easy application and repair of clay, masonry and slate roof tiles. It creates a tough, semi flexible seal, quickly and economically that requires no mixing or preparation. TileSecure is isocyanate free, paintable and validated for ± 35% joint movement.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)	APPLICATIONS						
F1120	10.1 oz cartridge/24 per carton	<table border="0"> <tr> <td> Gray</td> <td> Black</td> <td> Terra Cotta</td> </tr> <tr> <td> Medium Bronze</td> <td> Stone</td> <td> Tan</td> </tr> </table>	 Gray	 Black	 Terra Cotta	 Medium Bronze	 Stone	 Tan	
 Gray	 Black	 Terra Cotta							
 Medium Bronze	 Stone	 Tan							



## FloorSecure Multi-Purpose Wood & Tile Adhesive

FloorSecure is a solvent free, odorless, adhesive, without sacrificing performance. FloorSecure has a unique, isocyanate free formula that offers easy installation of wood and laminated substrates. FloorSecure is safe for occupied buildings such as schools, hospitals, or food processing plants, where solvent vapors and odors are not tolerated.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)	APPLICATIONS
F1004-2G*	2 gallon pail	 Tan	
F1004-5G*	5 gallon pail		

Note: In stock colors subject to change based on seasonal availability.



# Accessories



## SnowShoes™ Polycarbonate Snow Guards

SnowShoes are molded from a tough polycarbonate polymer that can withstand heavy impacts at low temperatures. Effective on all metals, including Kynar 500® PVDF coated metal and copper. Also for use on slate, tile, EPDM rubber and PVC and TPO membranes. TPO primer is required with TPO membrane installation. They are molded with a translucent matte finish that picks up the background color of roofing materials without reflecting sunlight. Paintable if strict color matching is required. Installation is easy with translucent DuraSil® adhesive provided in every kit.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)		APPLICATIONS
F1202	24 shoes per pack with (3) 10.1 oz cartridges of DuraSil	<input type="checkbox"/> Clear	<input checked="" type="checkbox"/> Smoke	



## SOF®-Rod Backer Rod

SOF®-Rod is a cylindrical, flexible foam rod for use as a sealant backing. SOF®-Rod is composed of a bi-cellular material. SOF®-Rod may also be used as a gasket or sealing material as per ASTM C 717.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)	APPLICATIONS
F2300	3/4 in x 1400 ft	N/A	
F2301	5/8 in x 550 ft		
F2302	7/8 in x 330 ft		
F2303	1 1/8 in x 125 ft		



## HBR®-Rod Backer Rod

HBR®-Rod is a round, flexible, continuous lengths of extruded, closed-cell polyethylene foam backer rod for use as a backing material for elastomeric and other cold applied sealants as per ASTM C 1330.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)	APPLICATIONS
F2308	1 in x 550 ft (spool)	N/A	
F2309	1.5 in x 552 ft (6 ft cut lengths/92 per carton)		
F2304	2 in x 360 ft (6 ft cut lengths/60 per carton)		
F2305	2.5 in x 240 ft (6 ft cut lengths/40 per carton)		
F2306	3 in x 144 ft (6 ft cut lengths/24 per carton)		
F2307	4 in x 90 ft (6 ft cut lengths/15 per carton)		



## Chem Link Roof Repair Tape & Accessories

Chem Link's Roof Repair Tape has advanced Microsealant® Technology and is used for leak repairs. Roof repair tape is compatible with EPDM, TPO, Hypalon®, Aged PVC, Modified Bitumen, all metals, tile, stone, brick, concrete, wood & more.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)	APPLICATIONS
<b>ALUMIBOND TAPE</b>			
F2378	4 in x 50 ft/6 rolls per carton	 Aluminum	
F2377	6 in x 50 ft/4 rolls per carton		
<b>COPPERFLASH TAPE</b>			
F2393	4 in x 25 ft/ 6 rolls per carton	 Copper	
F2392	6 in x 25 ft/4 rolls per carton		
F2389	8 in x 25 ft/3 rolls per carton		
<b>DOUBLESTICK 60 TAPE</b>			
F2381	1 in x 50 ft/ 24 rolls per carton	 Gray	
F2350	2 in x 50 ft/12 rolls per carton		
F2352	4 in x 50 ft/6 rolls per carton		
<b>ROOFSEAL TAPE</b>			
F2351	2 in x 50 ft/ 12 rolls per carton	 Black	
F2354	4 in x 50 ft/6 rolls per carton		
F2356	6 in x 50 ft/4 rolls per carton		
F2358	8 in x 50 ft/3 rolls per carton		
F2360	12 in x 50 ft/2 rolls per carton		
F2404	18 in x 50 ft/1 roll per carton		
F2365	24 in x 50 ft/1 roll per carton		
F2361	2 in x 50 ft/ 12 rolls per carton	 White	
F2362	4 in x 50 ft/6 rolls per carton		
F2364	6 in x 50 ft/4 rolls per carton		
F2366	8 in x 50 ft/3 rolls per carton		
F2368	12 in x 50 ft/2 rolls per carton		
F2403	18 in x 50 ft/1 roll per carton		
F2363	24 in x 50 ft/1 roll per carton		
F2383	4 in x 50 ft/6 rolls per carton	 Gray	
F2399	6 in x 50 ft/4 rolls per carton		
F2384	8 in x 50 ft/3 rolls per carton		
F2382	12 in x 50 ft/2 rolls per carton		
<b>WEBSEAL TAPE</b>			
F2370	4 in x 50 ft/6 rolls per carton	 Gray	
F2372	6 in x 50 ft/4 rolls per carton		
F2374	8 in x 50 ft/3 rolls per carton		
F2376	12 in x 50 ft/2 rolls per carton		
<b>ETERNA SPRAY</b>			
F2380	EternaClean 14oz can/12 cans per carton	 Clear	
F2388	EternaPrime Quart Can/12 cans per carton		
F2386	EternaPrime 14oz can/12 cans per carton		
F2390	2.5# Application Roller/6 per carton		



## Foil Pouch Nozzles

ScREW ON NOZZLES FOR USE WITH 1-PART, NOVALINK SL, & DURALINK SL FOIL POUCHES.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)	APPLICATIONS
F0912	4 Pack	<input type="checkbox"/> Translucent	 
F0922	75 Pack		



## Albion® Caulk Guns

A SELECT LINE OF STOCK CAULK GUNS FOR USE WITH ALL ALL CHEM LINK'S GUN GRADE MASTICS.

PRODUCT CODE <small>*Made to order</small>	DESCRIPTION	STANDARD COLOR(S)	APPLICATIONS
F0940	Albion B26 - 10.1 oz, 26:1 thrust ratio	N/A	
F0941	Albion 12S20 - 20 oz, 12:1 thrust ratio		
F0942	Albion B26Q - 28 oz, 26:1 thrust ratio		
F0907	Smarter Sausage 20 oz, 6:1 thrust ratio		
F0943	Albion E12 - 10.1 oz cordless, 12 volt		
F0944	Albion E12S20 - 20 oz cordless, 12 volt		
F0945	Albion E12Q - 28 oz cordless 12 volt		


# CHEM LINK IN NUMBERS



MANUFACTURING &  
INNOVATION CENTER  
**SCHOOLCRAFT, MI**

**1**

RESEARCH &  
DEVELOPMENT  
CENTER



MORE THAN  
**130**  
EMPLOYEES  
IN THE USA

SINCE  
**1990**



TRAINING  
CENTER

## A **SOPREMA**<sup>®</sup> GROUP COMPANY

Since our founding in 1990, Chem Link has focused on meeting the pressing needs of contractors, consumers and industries. Our founder was an inventor and developer who created Chem Link and grew it into the company that it is today.

In 2016, Chem Link joined the SOPREMA Group family. Since then, we have expanded and invested in our manufacturing processes to provide our customers with quality products and customer service. Today, we are a fully integrated company located in Schoolcraft, Michigan with two manufacturing locations nationwide.



353 E. Lyons Street, Schoolcraft, MI 49087  
1.800.826.1681 ■ [www.chemlink.com](http://www.chemlink.com)