

SAFETY DATA SHEET

DURALINK® 35 and 50

According to OSHA-GHS (29 CFR 1910.1200 HCS 2012) (US)

1. Identification

Product identifier

Product name DURALINK 35, DURALINK 50

Other means of identification:

Synonyms No information available

Recommended use of the chemical and restrictions on use

Recommended use No information available Recommended restrictions No information available Manufacturer/Importer/Supplier/Distributor information:

Supplier CHEM LINK INC., 353 East Lyons St., Schoolcraft, MI 49087

Emergency telephone CHEMTREC: USA - 1-800-424-9300

International - (703) 527-3887

2. Hazard(s) identification

OSHA Regulatory Status

This material is considered as hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Classification of the substance or mixture

Physical Hazards Not classified

Health Hazards Serious eye damage/eye irritation Category 2A

Skin sensitization Category 1B

Environment Hazards Not classified

GHS label elements



Signal word WARNING

Hazard statements Causes serious eye irritation.

May cause an allergic skin reaction.

Precautionary statements

Prevention Wash hands thoroughly after handling. Avoid breathing dust/fume/gas/mist/

vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective

gloves/protective clothing/eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see first aid instructions on label). Wash contaminated clothing before reuse.

If exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/ regional/ national/

international regulations.

DURALINK Page 2 of 7

Hazard(s) not otherwise classified (HNOC)

None Known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	Percentage % (wt/wt)
Aminoethyl aminopropyl trimethoxy silane	1760-24-3	0.5-2
Vinyltrimethoxysilane	2768-02-7	0.5-2
Dibutyltin oxide	818-08-6	0.25-0.75

4. First-aid measures

Description of first aid measures

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Get medical attention

immediately if symptoms occur.

Skin contact Remove contaminated clothing. If on skin, wash off immediately with soap and

plenty of water for at least 15 minutes. Wash contaminated clothing before

reuse. If skin irritation or rash occurs: Get medical attention.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do not

induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most important symptoms/effects,

both acute and delayed

Indication of immediate medical attention and special treatment

needed

Treat symptomatically.

No specific symptoms noted.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Use an extinguishing agent suitable for the surrounding fire.

Do not use water jet as an extinguisher, as this will spread the fire.

Thermal decomposition may release irritating, corrosive and/or toxic gases,

vapors and fumes.

Use water spray or fog for cooling exposed containers. Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus

with full face mask and full protective clothing.

See SDS Section 8 (Exposure Controls/Personal Protection).

6. Accidental release measures

Personal precautions, protective

Ensure adequate ventilation. Evacuate unnecessary personnel. Avoid breathing

DURALINK Page 3 of 7

equipment and emergency

procedures

Methods and materials for containment and cleaning up

vapor, mist, or spray. Avoid contact with skin, eyes and clothing. Wear appropriate personal protective equipment (PPE) as detailed in Section 8. Sweep up or vacuum up spillage and collect in suitable container for disposal.

Dispose in accordance with regulations.

7. Handling and storage

Precautions for safe handling Use with adequate ventilation. Keep away from heat, sparks and open flame. -

No smoking. Wash hands thoroughly after handling. Do not eat, drink or

smoke when using this product. Apply good hygienic practices.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

None of the components in this product is listed.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
Methanol	DEL (TVA/A)	200 ppm
(CAS NO# 67-56-1)	PEL (TWA)	260 mg/m ³
1,2-Ethylenediamine	DEL (TVA/A)	10 ppm
(CAS NO# 107-15-3)	PEL (TWA)	25 mg/m ³
Tin, organic compounds (as Sn)	PEL (TWA)	0.1 mg/m ³

US. OSHA Table Z-2 (29 CFR 1910.1000)

None of the components in this product is listed.

US. OSHA Table Z-3 (29 CFR 1910.1000)

None of the components in this product is listed.

US. ACGIH Threshold Limit Values

Components	Туре	Value
Methanol	TLV (TWA)	200 ppm (Skin; BEI)
(CAS NO# 67-56-1)	TLV (STEL)	250 ppm (Skin; BEI)
1,2-Ethylenediamine (CAS NO# 107-15-3)	TLV (TWA)	10 ppm (Skin)
Tin angenia comencue de (co Sn)	TLV (TWA)	0.1 mg/m³ (Skin)
Tin, organic compounds (as Sn)	TLV (STEL)	0.2 mg/m³ (Skin)

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value
Tin, organic compounds (as Sn)	REL (TWA)	0.1 mg/m³ (except Cyhexatin) (Skin)

DURALINK Page 4 of 7

Ingredients with biological limit values

Components	Biological limit values	Duration
Methanol (CAS NO# 67-56-1)	15 mg/l (Urine)	Time: end of shift

Appropriate engineering controls Provide eyewash station and safety shower. Provide adequate ventilation to

minimize dust concentrations. Avoid all unnecessary exposure.

Respiratory equipmentUse a NIOSH-approved respirator or self-contained breathing apparatus

whenever exposure may exceed established Occupational Exposure Limits.

Hand protection Wear chemical-resistant gloves.

Eye protection Wear safety glasses with side shields (or goggles).

Other protection Wear suitable protective clothing.

General hygiene considerations Wear suitable gloves and eye/face protection. . Keep away from food and

drink. When using does not eat, drink or smoke. Wash hands before breaks

and at the end of work.

9. Physical and chemical properties

Appearance

No information available. **Form** No information available. Color Odor No information available. Odor threshold No information available. рΗ No information available. **Melting point** No information available. No information available. **Freezing point** Initial boiling point and boiling range No information available. Flash point No information available. **Evaporation rate** No information available. No information available. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit – lower (%)
Flammability limit – upper (%)
Explosive limit - lower (%)
Explosive limit - upper (%)
Vapor pressure
Vapor density
Relative density
No information available.

Solubility(ies)

Solubility (water) No information available.

Partition coefficient (n- No information available.

octanol/water)

Auto-ignition temperatureNo information available.Decomposition temperatureNo information available.ViscosityNo information available.

10. Stability and reactivity

DURALINK Page 5 of 7

Reactivity No specific reactivity hazards associated with this product.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions Hazardous polymerization will not occur.

Conditions to avoid None under recommended storage and handling condition.

Incompatible materials No information available.

Hazardous decomposition products No dangerous decomposition products known.

11. Toxicological information

Information on likely routes of exposure

Ingestion No information available. Inhalation No information available.

Skin contact May cause an allergic skin reaction.

Causes serious eye irritation. Eye contact No information available.

Symptoms related to the physical,

chemical and toxicological

characteristics

Delayed and immediate effects and

also chronic effects from short- and

long-term exposure

No information available.

Numerical measures of toxicity			
Chemical Name	Oral LD ₅₀	Dermal LD₅0	Inhalation LC ₅₀
Aminoethyl aminopropyl trimethoxy	2,995 mg/kg (rat)	> 2,000 mg/kg (rabbit)	No information available
silane (CAS NO# 1760-24-3)			
Vinyltrimethoxysilane	7.34 mL/kg (rat)	3,460 - 4,000 mg/kg	2773 ppm, 4h, vapor
(CAS NO# 2768-02-7)		(rabbit)	
Dibutyltin oxide (CAS NO# 818-08-6)	172 mg/kg (rat)	No information available	No information available

Skin corrosion/irritation No information available. Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization

No information available. Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Contains polycyclic aromatic compounds (PACs). Prolonged and/or repeated Carcinogenicity

skin contact with certain PACs has been shown to cause skin cancer. Prolonged

and/or repeated exposures by inhalation of certain PACs may also cause

cancer of the lung and of other sites of the body.

May damage fertility or the unborn child. Reproductive toxicity

Specific target organ toxicity -

single exposure

No information available.

Specific target organ toxicity -

repeated exposure

May causes damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. Ecological information

DURALINK Page 6 of 7

Ecotoxicity

Numerical measures of toxicity

Chemical Name	Test	Species	Test Results
Aminoethyl aminopropyl trimethoxy	Fish LC ₅₀	Bluegill (Lepomis macrochirus)	> 100 mg/L
silane (CAS# 1760-24-3)	Crustacean EC ₅₀	Water flea (Daphnia magna)	87.4 mg/L, 48h
	Algae EC ₅₀	Green microalgae (Pseudokirchneriella subcapitata)	8.8 mg/L, 96h
	Algae NOEC	Green microalgae (Pseudokirchneriella subcapitata)	3.1 mg/L
Dibutyltin oxide (CAS# 818-08-6)	Fish LC ₅₀	Generic fish	1 mg/L, 48h
	Crustacean EC ₅₀	Water flea (Daphnia magna)	2 mg/L, 48h
	Algae EC ₅₀	Green algae (Desmodesmus subspicatus)	≥ 1.6 mg/L,72h

Persistence and degradability

Bioaccumulative potential

Mobility in soil
Other adverse effects

There are no data on the degradability of this product.

No data available on bioaccumulation.

No data available. Not available.

13. Disposal considerations

Disposal instructionsDispose of contents/container in accordance with local/ regional/ national/

international regulations.

14. Transport information

	DOT	IMDG	IATA
UN number	Not regulated	Not regulated	Not regulated
UN proper shipping name	Not dangerous goods	Not dangerous goods	Not dangerous goods
Transport hazard class(es)	Not regulated	Not regulated	Not regulated
Packing group	Not regulated	Not regulated	Not regulated
Environmental hazards	No	No	No
Transport in Bulk according to	Not applicable.		
Annex II of MARPOL 73/78 and the			
IBC Code Notes			

15. Regulatory information

Special Precaution(s)

US federal regulationsThis product is "Hazardous Chemical" as defined by the OSHA Hazard

Not applicable.

Communication Standard, 29 CFR 1910.1200.

Some of the components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None of the ingredients are listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

None of the ingredients are listed.

DURALINK Page 7 of 7

CERCLA Hazardous Substance List (40 CFR 302.4)

Methanol (CAS NO# 67-56-1) Listed 1,2-Ethylenediamine (CAS NO# 107-15-3) Listed

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Eye irritation, Skin sensitization, Reproductive toxicity, Specific target organ toxicity- Repeated Exposure.

SARA 313 (TRI reporting)

Methanol (CAS NO# 67-56-1) Listed

Other federal regulations

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Safe Drinking Water Act (SDWA)

US State regulations.

US. New Jersey Worker and Community Right-to-Know Act

Methanol (CAS NO# 67-56-1) Listed

US. Pennsylvania Worker and Community Right-to-Know Law

Methanol (CAS NO# 67-56-1) Listed

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT):

This product contains no chemicals known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

16. Other information

Revision date 10/14/2020

Version # 4

References ACGIH: Documentation of the Threshold Limit Values and Biological

Exposure indices

ECHA: European Chemicals Agency

IARC: International Agency for Research on Cancer

OECD: Organization for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.