



SEALANTS & ADHESIVES THAT DELIVER HIGH PERFORMANCE WITHOUT THE RISKS

PRODUCT CATALOG



COMMITMENT TO SUSTAINABILITY



Never before has the impact of sustainable construction been so important as it is in our world today. Since day one, Chem Link has been an environmentally conscious company. Our corporate commitment can be summarized in three primary categories of our business:



Environmental Protection
Building Tomorrow
People First

Our specialty lies in developing Silyl Terminated Polyether Technology (STPE). Inherently solvent-free with little to no VOC content, this technology poses no threat to installers or building occupants and is environmentally friendly. These products are used in various applications and construction types throughout the SOPREMA Group of companies.

SOPREMA has been committed to the innovation and development of products that enhance performance and protect the environment. As a SOPREMA Group company, Chem Link is at the forefront of responsible product design and sustainable operations, engaging our employees to push the envelope for a greener tomorrow.



ADHESIVES, SEALANTS, SYSTEMS & ACCESSORIES

RESIDENTIAL ■ COMMERCIAL ■ SPECIALTY



ROOFING

Chem Link offers a variety of non-toxic, solvent-free roofing sealants and adhesives in polyether and silicone technologies. Our flagship **M-1® Universal Adhesive & Sealant** product is unmatched; bonding and sealing a wide range of construction materials. **DuraLink®** accommodates joint movement and color matching. Chem Link's unique **E-Curb®** system is designed specifically for sealing roof penetrations of any size or shape.



CONCRETE & MASONRY

NovaLink® is a line of non-toxic, high-quality, moisture-curing elastomeric construction sealants designed to be used with many building materials while withstanding damp, dry or cold conditions.



SPECIALTY

Chem Link offers a line of specially formulated products for highly sensitive clean rooms, below-waterline marine applications and sealing close-fitting joints and seams in recreational vehicles.



WINDOWS, DOORS, & SIDING

Chem Link's **DuraLink®** product line offers high-quality, moisture-cure sealants that are 100% solid and will not shrink. With a choice of joint movement specifications, the ability to bond to most construction materials and extensive color matching, it's the perfect line for sealing around windows, doors and siding.



MULTI-PURPOSE

Chem Link offers several multi-purpose products in both the core polyether and innovative silicone technologies to seal a wide range of construction materials. **M-1® Universal Adhesive & Sealant** is essential on any job site. Another multi-purpose sealant, **Clear**, comes in a transparent formulation for applications on a variety of surfaces where it is preferred not to see the sealant line.



FLOORING & WALLS

The **Secure** product line includes adhesives for bonding drywall, gypsum, stone, foam and ceiling systems, and a fast-setting structural adhesive for "panel on frame" assemblies in commercial and residential construction.

CORE STPE TECHNOLOGY

POLYETHER

DO NO HARM

- Safe for workers, occupants and the environment
- No solvents or hazardous air pollutants
- No possibility of outgassing
- Does not contain cancer-causing chemicals identified in California Prop 65

WITH HIGH PERFORMANCE

- Moderate to excellent movement capabilities
- UV resistance better than urethanes
- Great compatibility with many raw materials

FORMULATIONS

- Hybrid sealant, combining many of the best attributes of a silicone and a urethane
- Offers the formulator great flexibility in product design
- Extremely broad range of properties with 1500% elongation sealants, 1000+psi adhesives & everything in-between



TABLE OF CONTENTS

6

M-1

8

DuraLink

10

DuraGlaze

12

NovaLink

15

Curb Penetration Systems

CURBS

ChemCurb

E-Curb

POURABLE

1-Part

Pro Pack

DuraSil Pourable

20

Secure

22

Miscellaneous

Durasil

MetaLink

Clear

Primer

Liquid Flashing

24

Accessories

SnowShoes

Backer Rods

Tapes & Sprays

Caulk Guns

Our flagship M-1® Universal Adhesive & Sealant product is unmatched; bonding and sealing a wide range of construction materials.



M-1[®]

M-1 Universal Adhesive & Sealant is a versatile, moisture-curing, high-performance polyether adhesive sealant designed for difficult construction site conditions such as wet or dry climates. Following Chem Link's dedication to sustainability, M-1 is solvent-free and safe for workers, occupants and the environment.

- Non-slump; can be applied vertically and overhead
- Can be applied on damp surfaces
- 390 pli of shear strength
- 370 pli of tensile strength
- 111 pli of tear strength
- 525% elongation
- $\pm 35\%$ joint movement
- 20-minute skin over — paintable within 24 hours






M-1 IN ACTION: AMAZON SPHERES SEATTLE, WASHINGTON

Amazon created a one-of-a-kind vision for its headquarters in Seattle, Washington, featuring three spherical conservatories filled with live plants and trees. To drive the philosophy of the living green space, M-1 was chosen as a key product in construction due to its high-performing, solvent-free, environmentally friendly features.



M-1 Universal Adhesive & Sealant


M-1 is a moisture-cure, multi-purpose structural adhesive & sealant designed for bonding and sealing a wide range of construction materials. M-1 forms a tough elastic waterproof seal to most roofing materials, masonry, wood, glass, aluminum and foam. M-1 bonds well to most building surfaces, including metal flashing, copings, skylights and HVAC surfaces.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S) In stock colors - other colors available made to order				APPLICATIONS
F1277	5 oz. squeeze tube/ 36 per master pack	<div>White</div>				<div></div>
F1209	10.1 fl. oz. cartridge/ 16 per field pack	<div>White</div>	<div>Gray</div>	<div>Black</div>	<div>Limestone</div>	
F1270	10.1 fl. oz. cartridge/ 24 per carton	<div>White</div>	<div>Gray</div>	<div>Black</div>	<div>Limestone</div>	
		<div>Tan</div>	<div>Dark Bronze</div>			
F1190	20 fl. oz. sausage/ 12 per carton	<div>White</div>	<div>Gray</div>	<div>Black</div>		
F1204	28 fl. oz. sausage/ 12 per carton	<div>White</div>		<div>Gray</div>		
F1205	2 gallon pail	<div>White</div>	<div>Gray</div>	<div>Black</div>		
F1206	5 gallon pail	<div>White</div>		<div>Gray</div>		
50 Gal*	50 gallon drum	*Available by made to order				



M-1 CR Clean Room Adhesive/Sealant


M-1 CR (Clean Room) is a thermosetting, moisture-cure sealant that does not contain solvents or isocyanates. M-1 CR has been tested for airborne molecular contamination and is approved for semiconductor clean room use. Fully-cured M-1 CR releases virtually no molecular air contamination at room temperature. M-1 CR is specified for biomedical, electronics and aerospace clean rooms where contamination of the air and working surfaces cannot be tolerated. M-1 CR is also used in food-processing buildings, hospitals, schools, offices and public buildings.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S)		APPLICATIONS
F1224	10.1 fl. oz. cartridge/ 16 per field pack	White	Gray	



M-1 Marine Grade Moisture Cure Adhesive/Sealant

M-1 Marine is a moisture-cure marine-grade adhesive/sealant formulated for applications above or, post-cure, below the waterline. M-1 Marine is free of solvents and isocyanates, will not shrink upon curing or discolor from ultraviolet exposure, and will not bubble on damp surfaces. This sealant adheres to many surfaces without priming - including teak, fiberglass, vinyl, glass, FRP and metal. It forms a strong bond, yet remains resilient and flexible after cure.


PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S)		APPLICATIONS
F1274	10.1 fl. oz. cartridge/ 12 per carton	White	Gray	



DuraLink®

DuraLink elastomeric joint sealants are moisture-curing, 100% solid and solvent-free. DuraLink is designed to adhere to various materials, including wood, glass, EIFS, galvanized steel, masonry and other common building materials subject to movement. DuraLink meets ASTM C920 and is available in class 35 and 50 for joint movement.

- Solvent free, 100% solids — will not shrink
- Non-slump; can be applied vertically and overhead
- Non-staining, no outgassing
- Can be applied on damp surfaces
- Color stability
- Paintable within 24 hours






















Custom Color Matching with Over 100 Color Options Available

Chem Link has developed a unique color matching system for DuraLink 35 and DuraLink 50 to create custom color matching to popular manufacturer material colors. Visit www.chemlink.com to view the custom color match tool.



DuraLink 35 Multi-Purpose Sealant

DuraLink 35 is a multi-purpose, moisture-cure, elastomeric sealant that combines economy and high performance. DuraLink 35 has excellent elastomeric properties, making it ideal for many applications, including difficult surfaces such as Kynar 500® PVDF and other anodized metals and coatings. DuraLink 35 is isocyanate-free, paintable and SWRI validated for $\pm 35\%$ joint movement.
























PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S) In stock colors - other colors available made to order				APPLICATIONS
F1263	10.1 fl. oz. cartridge/ 12 per carton (siding)	Refer to chemlink.com for siding colors				<div> </div>
F1263	10.1 fl. oz. cartridge/ 24 per carton (roofing)	 White	 Stone	 Limestone	 Aluminum Gray	
		 Gray	 Tan	 Dark Bronze	 Medium Bronze	
		 Black	 Almond	 Terra Cotta	 Forest Green	
		 Weathered Wood	*Refer to chemlink.com for color matching for popular siding manufacturers.			
F1268*	20 fl. oz. sausage/ 12 per carton	*Available by made to order				
F1243*	2 gallon pail					
F1229*	5 gallon pail					
50 Gal*	50 gallon drum					

*4-digit color code suffix is added to item numbers to indicate custom color selection. For more information, visit www.chemlink.com and view the custom color match tool.



DuraLink 50 Super Adhesion Sealant

DuraLink 50 is an extremely elastic, moisture-cure, elastomeric sealant designed for use in roofing, cementitious siding, metal architecture, curtain wall construction and joints subject to movement. DuraLink 50 has excellent elastomeric properties, ideal for many applications, including difficult surfaces such as Kynar 500® PVDF and other anodized metals and coatings. DuraLink 50 is isocyanate-free, paintable and SWRI validated for $\pm 50\%$ joint movement.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S) In stock colors - other colors available made to order				APPLICATIONS
F1260	10.1 fl. oz. cartridge/ 24 per carton	 White	 Stone	 Limestone	 Aluminum Gray	     
		 Gray	 Tan	 Dark Bronze	 Medium Bronze	
		 Black	 Forest Green	 Weathered Wood	 Almond	
		 Terra Cotta				
F1261	20 fl. oz. sausage/ 12 per carton	 White	 Gray	 Dark Bronze	 Black	
F1210*	28 fl. oz. cartridge/ 12 per carton	*Available by made to order				
F1219*	2 gallon pail					
F1220*	5 gallon pail					
50 Gal*	50 gallon drum					

*4-digit color code suffix is added to item numbers to indicate custom color selection. For more information, visit www.chemlink.com and view the custom color match tool.



DuraGlaze® Plus

DuraGlaze Plus is a premium grade, extremely elastic, high-performance, moisture-cure sealant designed for use in fenestrations, perimeter sealing (windows, doors and panels), metal architecture, curtain wall construction and joints subject to movement. DuraGlaze Plus adheres to “difficult to bond surfaces” and is suitable for use on anodized metal and coatings.

- Bonds to Kynar® 500 PVDF coated metal
- Solvent free, 100% solids — will not shrink
- Thicker product consistency based on feedback from professional caulkers
- Easy to gun and tool, speeding up application
- Available in 10.1 fl. oz. plastic cartridges and 20 fl. oz. foil sausages
- Meets all state and federal VOC regulations
- Can be applied to damp surfaces — will not outgas



MADE IN THE USA







Meets All VOC Regulations with ISO Certification

ChemLink is proud to produce DuraGlaze Plus domestically in the United States of America. Backing our product is our ISO certification. This product also meets all state and federal VOC regulations.



DuraGlaze Plus Super Adhesion Sealant

DuraGlaze Plus is a premium-grade, extremely elastic, high-performance, moisture-cure sealant designed for use in fenestrations (perimeter sealing of windows, doors and panels), metal architecture, curtain wall construction and joints subject to movement. With an extended tooling time in elevated temperatures, DuraGlaze Plus is an ideal product for larger commercial installations. DuraGlaze Plus adheres to "difficult to bond surfaces" and is suitable for use on anodized metal and coatings such as Kynar 500® PVDF. DuraGlaze Plus has a unique polyether chemistry that eliminates any possibility of outgassing and protects against "sun tanning" or discoloration when exposed to ultraviolet light. It is paintable and SWRI validated for $\pm 50\%$ joint movement.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S) In stock colors - other colors available made to order			APPLICATIONS
F1267	10.1 fl. oz. cartridge 24 per carton	 White	 Gray	 Architectural Dark Bronze	  
F1269	20 fl. oz. sausage/ 12 per carton				
F1265	1.5 gallons (packaged in 2 gallon pail)	*Untinted/Tintable - Available by made to order			



NovaLink[®]

NovaLink sealants cure to a durable elastomeric rubber with excellent adhesion to standard building materials. In addition, NovaLink sealants provide important properties not typically found in common concrete sealants such as urethanes and acrylics.

- Solvent free, 100% solids — will not shrink
- Non-staining, no outgassing
- Can be applied on damp surfaces
- Good color stability
- Paintable within 24 hours



Polyether Technology Ideal for Damp Concrete

Polyether chemistry at work: moisture actually speeds up curing. Unlike urethanes which typically bubble or outgas on wet surfaces, NovaLink is ideal for use on damp concrete.



NovaLink 35 Joint Sealant

NovaLink 35 is a multi-purpose, moisture-cure, construction sealant specially formulated for application in damp, dry and cold conditions. NovaLink 35 is UV resistant and will not suntan. NovaLink 35 is designed for use with many building materials, including concrete, glass, metal and most roofing materials. NovaLink 35 seals expansion joints, flashings, windows, doors, and roofing joints. NovaLink 35 is isocyanate-free, paintable and SWRI validated for $\pm 35\%$ joint movement.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S) In stock colors - other colors available made to order				APPLICATIONS
F1240	10.1 fl. oz. cartridge/ 24 per carton	 White	 Stone	 Limestone	 Aluminum Gray	 
		 Gray	 Tan	 Dark Bronze	 Medium Bronze	
		 Black	 Almond	 Terra Cotta	 Charcoal Gray	
F1253	20 fl. oz. sausage/ 12 per carton	 White	 Stone	 Limestone	 Aluminum Gray	
		 Gray	 Tan	 Black		
F1245*	2 gallon pail	*Available by made to order				
F1246*	5 gallon pail					
F18101*	50 gallon drum					



NovaLink TX Texturized Elastomeric Sealant

NovaLink TX is a gun-grade polyether, moisture-cure, texturized elastomeric sealant formulated for use on expansion joints where a textured appearance is required. NovaLink TX has excellent adhesion to most construction materials, including cementitious siding, concrete, glass, roofing, metal and Kynar 500® PVDF-coated metals. NovaLink TX is isocyanate-free, paintable and SWRI validated for $\pm 35\%$ joint movement.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S) In stock colors - other colors available made to order	APPLICATIONS
F1241	10.1 fl. oz. cartridge/ 24 per carton	White	
F1248*	20 fl. oz. sausage/ 12 per carton	*Available by made to order	



NovaLink SL Pool & Deck Joint Sealant


NovaLink SL Pool & Deck Joint Sealant is a self-leveling, moisture-cure, construction sealant specially formulated for application in damp or dry horizontal concrete expansion joints. NovaLink SL Pool & Deck Joint Sealant levels to a smooth, even finish and bonds well to masonry, wood, aluminum, steel, slate, natural stone, clay tile, aged asphalt, and most other construction materials. It will not outgas or bubble when applied to damp concrete. NovaLink SL Pool & Deck Joint Sealant is isocyanate-free, paintable and validated for $\pm 25\%$ joint movement.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S)			APPLICATIONS
F1239	68 fl. oz./4 per carton	Gray	Stone	Charcoal Gray	



NovaLink SL Self-Leveling Sealant



NovaLink SL is a self-leveling, moisture-cure, construction sealant specially formulated for application in horizontal concrete expansion joints. NovaLink SL levels to a smooth, level finish and bonds well to masonry, wood, aluminum, steel, slate, natural stone, clay tile, aged asphalt and most other construction materials. NovaLink SL will not outgas or bubble when applied to damp concrete. NovaLink SL is isocyanate-free, paintable and SWRI validated for $\pm 25\%$ joint movement.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S) In stock colors - other colors available made to order		APPLICATIONS
F1234	10.1 fl. oz. cartridge/ 24 per carton	<div><div></div>Gray</div>		<div></div>
F1233	28 fl. oz. cartridge/ 12 per carton	<div><div></div>Gray</div>	<div><div></div>Stone</div>	
F1236*	2 gallon pail	*Available by made to order		
F1247*	5 gallon pail			
F1249*	50 gallon drum			



NovaLink WM Liquid Applied Waterproofing Membrane



NovaLink WM is a cold-applied, single-component, waterproofing membrane that cures by exposure to atmospheric and substrate moisture to form a continuous, tough, reinforced elastic seal. NovaLink WM is solvent-free and may be applied to green concrete without outgassing. It can be used in confined spaces with standard personal protection equipment. NovaLink WM cures to an elastomeric rubber that is resistant to thermal shock. It will not crack in extreme cold or slump due to softening in high temperatures like conventional asphalt or coal tar-based coatings.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S)	APPLICATIONS
F1118*	2 gallon pail	 Black	
F1117	5 gallon pail		



NovaLink FP Flash & Patch

NovaLink FP is a high-quality, moisture-cure elastomeric waterproofing and sealant designed to fill, seal and level grout lines, voids, seams and surface damage on construction materials prior to application of liquid waterproofing. NovaLink FP may also be used for repairing roof leaks, asphalt shingles, roof valleys and seams, chimney flashings and emergency roof repairs.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S)	APPLICATIONS
F1110	10.1 fl. oz. cartridge/ 24 per carton	 Black	



Curb Systems

To protect the original roof investment, avoid callbacks and prevent damage caused by water, building owners and contractors should choose the most effective, proven, long-term penetration seals available. Chem Link's ChemCurb® & E-Curb® Systems can turn the weakest part of a building's roof into the strongest.

- Easy to install — normally fewer than 15 minutes per penetration
- Fits any size or shape penetration allowing for unlimited configurations
- Can be bonded to a wide range of surfaces
- Sealants & adhesives are 100% solids and do not shrink
- E-Curb and ChemCurb installations are impervious to ice, corrosion, UV light and ponding water






Curbs for Solar Mounts

E-Curbs provide an efficient penetration seal system for mounting solar panel frames. Superior to other penetration seal systems, E-Curbs will not corrode, shrink or create additional penetrations with fasteners during installation. E-Curbs offer flexible configurations and are easy to install, saving time and labor.



ChemCurbs





Heavy-duty ChemCurbs are composed of tough, polyester resin two inches in height and are available in a variety of shapes and sizes. These components can be configured for square, rectangular, round or oval patterns of various sizes to accommodate virtually any type and number of penetrations.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	COLOR(S)		APPLICATIONS
F1305P	2" ChemCurb corners 8 corners/carton	 Gray		 
F1304P	6" ChemCurb straights 8 straights/carton			
F1303P	12" ChemCurb straights 8 straights/carton			
F1302P	5" Diameter ChemCurb rounds 6 curbs/carton			
F1301P	7.5" Diameter ChemCurb rounds 4 curbs/carton			



E-Curbs

E-Curbs are lightweight, economical, thin-walled flanges made of a durable vinyl resin and engineered to ensure a watertight seal. They are available in a variety of sizes and shapes and can be used to create virtually any configuration to surround penetrations.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	COLOR(S)		APPLICATIONS
F1355	2" E-Curb corners - 90° radius 16 corners/carton	 Gray	 White	 
F1364 <small>*White</small>	3" E-Curb straights 16 straights/carton			
F1356	8" E-Curb straights 16 straights/carton			
F1333 <small>*White</small>	3" Diameter E-Curb round 24/carton			
F1357	4" Diameter E-Curb round 12/carton			
F1362 <small>*White</small>	4.5" x 3.5" rectangle E-Curb 12/carton			
F1366	5" Diameter E-Curb round 12/carton			
F1352	6" Diameter E-Curb round 6/carton			
F1353	9" Diameter E-Curb round 5/ carton			



ChemCurb Kits




ChemCurb kits include bisected circular pieces with inside diameters of 5 or 7.5 inches, 1-Part Pourable Sealant and M-1 Universal Adhesive & Sealant to complete installation. The Pro Pack® ChemCurb Kits include bisected circular pieces with an inside diameter of 5 or 7.5 inches, M-1 Universal Adhesive & Sealant, Pro Pack resin and hardener, a mixing paddle and warranty card.

PRODUCT CODE <small>*Made to order</small>	SIZING/KIT CONTENTS	COLOR(S)	APPLICATIONS
F1307P	5" Diameter Round 1-Part Kit Contains: (3) curbs, (1) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 oz cartridge of M-1 Universal Adhesive & Sealant	 Gray	 
F1306P	7.5" Diameter Round 1-Part Kit Contains: (2) curbs, (2) ½ gal pouches of 1-Part Pourable Sealant (2) 10.1 oz cartridges of M-1 Universal Adhesive & Sealant		
F1300P	7.5" Diameter Round Pro Pack Kit Contains: (2) curbs, (1) 1 gal of Pro Pack Two-Part Urethane Sealant (black) (2) 10.1 oz cartridges of M-1 Universal Adhesive & Sealant		



E-Curb Kits — Low Slope




E-Curb kit includes bisected perimeter pieces with inside diameters of 3, 4, 5, 6 or 9 inches, or a 4.5 x 3.5 inch rectangle, 1-Part Pourable Sealant and M-1 Universal Adhesive & Sealant to complete installation.

PRODUCT CODE <small>*Made to order</small>	SIZING/KIT CONTENTS	COLOR(S)	APPLICATIONS
F1331	3" Diameter E-Curb Kit Contains: (10) curbs, (8) 10.1 oz 1-Part Pourable Sealant, (2) 10.1 fl. oz. cartridge of M-1 Universal Adhesive & Sealant	 Gray	 
F1354GR	4" Diameter E-Curb Kit Contains: (4) curbs, (1) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 fl. oz. cartridge of M-1 Universal Adhesive & Sealant		
F1363GR	4.5"x 3.5" Rectangle E-Curb Kit Contains: (4) curbs, (1) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 fl. oz. cartridge of M-1 Universal Adhesive & Sealant		
F1367GR	5" Diameter E-Curb Kit Contains: (3) curbs, (1) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 fl. oz. cartridge of M-1 Universal Adhesive & Sealant		
F1350	6" Diameter E-Curb Kit Contains: (3) curbs, (2) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 fl. oz. cartridge of M-1 Universal Adhesive & Sealant		
F1351	9" Diameter E-Curb Kit Contains: (2) curbs, (2) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 fl. oz. cartridge of M-1 Universal Adhesive & Sealant		



E-Curb Kits — Low Slope (cont.)

E-Curb kits include bisected circular pieces with inside diameters of 3, 4, 5, 6 or 9 inches, a 4.5 x 3.5 inch rectangle, 1-Part Pourable Sealant and M-1 Universal Adhesive & Sealant to complete installation.

PRODUCT CODE <small>*Made to order</small>	SIZING/KIT CONTENTS	COLOR(S)	APPLICATIONS
F1350WH	6" Diameter E-Curb Kit Contains: (3) curbs, (2) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 fl. oz. cartridge of M-1 Universal Adhesive & Sealant, (1) pint Low VOC TPO Primer	 White	 
F1351WH	9" Diameter E-Curb Kit Contains: (2) curbs, (2) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 fl. oz. cartridge of M-1 Universal Adhesive & Sealant, (1) pint Low VOC TPO Primer		
F1354WH	4" Diameter E-Curb Kit Contains: (4) curbs, (1) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 fl. oz. cartridge of M-1 Universal Adhesive & Sealant, (1) pint Low VOC TPO Primer		
F1367WH	5" Diameter E-Curb Kit Contains: (3) curbs, (1) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 fl. oz. cartridge of M-1 Universal Adhesive & Sealant, (1) pint Low VOC TPO Primer		
F1354WHNP	4" Diameter E-Curb Kit Contains: (4) curbs, (1) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 fl. oz. cartridge of M-1 Universal Adhesive & Sealant		
F1350WHNP	6" Diameter E-Curb Kit Contains: (3) curbs, (2) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 fl. oz. cartridge of M-1 Universal Adhesive & Sealant		
F1351WHNP	9" Diameter E-Curb Kit Contains: (2) curbs, (2) ½ gal pouch of 1-Part Pourable Sealant, (2) 10.1 fl. oz. cartridge of M-1 Universal Adhesive & Sealant		







E-Curb Kits — Low Slope Silicone

DuraSil SL is a one-part pourable, neutral cure, silicone-based sealant designed for use in E-Curb penetrations on silicone roof coatings as well as around HVAC, electrical or mechanical equipment, solar panel mounts, and applications where 400°F (204°C) "hot pipe" service is needed.

PRODUCT CODE <small>*Made to order</small>	SIZING/KIT CONTENTS	COLOR(S)	APPLICATIONS
F1334*	3" Diameter Round Silicone Kit Contains: (8) curbs, (1) 2 liter pouch of DuraSil SL Pourable Sealant, (2) 10.1 fl. oz. cartridge of DuraSil Sealant	 Gray	 
F1358*	4" Diameter Round Silicone Kit Contains: (4) curbs, (1) 2 liter pouch of DuraSil SL Pourable Sealant, (2) 10.1 fl. oz. cartridge of DuraSil Sealant		
F1359*	6" Diameter Round Silicone Kit Contains: (3) curbs, (2) 2 liter pouch of DuraSil SL Pourable Sealant, (2) 10.1 fl. oz. cartridge of DuraSil Sealant		



E-Curb Kits — Metal Roof

PRODUCT CODE <small>*Made to order</small>	SIZING/KIT CONTENTS	COLOR(S)		APPLICATIONS
F1361*	4" Diameter Round Kit Contains: (4) curbs, (8) 10.1 oz cartridge of DuraLink 50	 White	 Gray	 



E-Curb Kits — Steep Slope


PRODUCT CODE *Made to order	SIZING/KIT CONTENTS	COLOR(S)		APPLICATIONS
F1360*	4" Diameter Round Kit Contains: (4) curbs, (4) 10.1 oz cartridge of DuraLink 50, (2) 10.1 fl. oz. cartridge of M-1 Universal Adhesive & Sealant	White	Gray	

Pourable Sealants



1-Part® Pourable Sealant

1-Part is a moisture-curing, pourable sealant designed for use in pitch pans and warranted ChemCurb/E-Curb penetration seals. 1-Part is suitable for application in damp, dry, or cold climates. 1-Part is solvent-free, contains no isocyanates and will not shrink upon curing. 1-Part has resilient elastomeric properties and excellent adhesion to most construction materials.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S)			APPLICATIONS
F1428	10.1 fl. oz. cartridge/ 24 per carton	<div><div></div>Gray</div>			<div></div>
F1400	28 fl. oz. cartridge/ 12 per carton				
F1425	½ gallon pouch/ 4 per field pack	<div><div></div>Gray</div>	<div><div></div>White</div>	<div><div></div>Black</div>	
F1426	½ gallon pouch/ 4 per carton				
F1427*	5 gallon pail	*Available by made to order			



Pro Pack® Solvent-Free Urethane Pourable Sealer

Pro Pack is a two-part, pourable, 100% solids urethane sealant that requires mixing but delivers a much faster than 1-Part. Pro Pack is self-leveling, non-shrinking and cures to a flexible, long-lasting urethane seal.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S)		APPLICATIONS
F1000	2 gallon kit/ 2 pails per carton	Black		



DuraSil® SL Pourable Silicone Sealant

DuraSil SL is a one-part, pourable, neutral-cure, silicone-based sealant designed for use in E-Curb penetrations on silicone roof coatings and around HVAC, electrical or mechanical equipment, solar panel mounts, and applications where 400°F (204°C) "hot pipe" service is needed.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S)		APPLICATIONS
F1223	2 liter pouch/4 per carton	Gray		



Secure

Chem Link's Secure line of polyether adhesives is high-performance, non-toxic, solvent-free, and designed for residential or commercial construction applications. Chem Link's Secure adhesives are safe for occupied buildings such as schools, hospitals and other facilities where vapors and odors are not tolerated.

- Solvent free, 100% solids — will not shrink
- No outgassing on damp surfaces
- Environmentally friendly
- Superior adhesion
- Low VOC





Low VOC, High Performance

Chem Link's Secure product line meets CARB & SCAQMD regulations for improving indoor air quality and reducing VOC emissions in compliance with respective Clean Air Acts.



BuildSecure Multi-Purpose Construction Adhesive



BuildSecure is a fast-setting, structural adhesive designed for various "panel on frame" assemblies in commercial and residential construction. BuildSecure is specially designed for bonding most construction materials, including wood studs, galvanized steel framing, aluminum framing, rafters, subfloors, drywall, gypsum, stone, fiberglass, FRP panels, expanded polystyrene (EPS), and polyurethane foam. BuildSecure is a solvent-free, non-flammable, moisture-curing adhesive. It complies with all OSHA, state, local and federal air quality regulations.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S)	APPLICATIONS
F1003-1024	10.1 fl. oz. cartridge/ 24 per carton	 Tan	
F1003-2012*	20 fl. oz. sausage/ 12 per carton		
F1003-2812*	28 fl. oz. cartridge/ 12 per carton		
F1003-2G*	2 gallon pail		
F1003-5G*	5 gallon pail		



WallSecure High Performance Wall & Block Adhesive








WallSecure is a high solids, solvent-free, fast-setting, moisture-cure adhesive. Specially designed for bonding drywall, gypsum, landscape blocks, capstones, stone, foam, fiberglass, FRP panels and ceiling systems, WallSecure is ideal for filling gaps or forming bonds on irregular surfaces without shrinking. WallSecure complies with all OSHA, state, local and federal air quality regulations.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S)	APPLICATIONS
F1005-1024*	10.1 fl. oz. cartridge/ 24 per carton	 Tan	
F1005-2812	28 fl. oz. cartridge/ 12 per carton		



TileSecure Roof Tile Adhesive



TileSecure is a one-part, moisture-cure adhesive designed for quick and easy application and repair of clay, masonry and slate roof tiles. It quickly and economically creates a tough, semi-flexible seal without requiring mixing or special preparation. TileSecure is isocyanate-free, paintable and validated for $\pm 35\%$ joint movement.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S)			APPLICATIONS
F1120	10.1 fl. oz. cartridge/ 24 per carton	 Gray	 Black	 Terra Cotta	
		 Medium Bronze	 Stone	 Tan	



FloorSecure Multi-Purpose Wood & Tile Adhesive

FloorSecure is a solvent-free, odorless adhesive that does not sacrifice performance. FloorSecure has a unique, isocyanate-free formula that provides easy wood and laminated substrates installation. FloorSecure is safe for occupied buildings such as schools, hospitals or food processing plants, where solvent vapors and odors are not tolerated.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S)	APPLICATIONS
F1004-2G*	2 gallon pail	 Tan	
F1004-5G*	5 gallon pail		




Note: In-stock colors are subject to change based on seasonal availability.

Miscellaneous



DuraSil High Performance Silicone Adhesive Sealant














DuraSil is a neutral-cure silicone construction sealant used for many applications. It has outstanding weather resistance and durability in dry, cold or wet conditions. DuraSil is stable to temperatures up to 400°F (204°C). DuraSil bonds well to Kynar 500® PVDF coated metal, copper, glass block and other building materials. DuraSil may be used to seal windows, doors, curtain walls, marine and transportation applications.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S)	APPLICATIONS
F1211	10.1 fl. oz. cartridge/ 24 per carton	 Translucent	 
F1207*	20 fl. oz. sausage/ 12 per carton		
F1217*	5 gallon pail		



MetaLink High Performance Silicone Metal Roof Sealant



MetaLink is a multi-purpose, neutral-cure silicone construction sealant specially formulated for application in various job site conditions. MetaLink is UV resistant. MetaLink is designed for use with many building materials, including galvanized aluminum, metal, Kynar 500® PVDF coated metal, glass and most roofing materials. MetaLink is available in many colors to match contemporary tastes in decorative metal roof and siding products. MetaLink is isocyanate-free and validated for ± 50% joint movement.

PRODUCT CODE *Made to order	SIZING/PACKAGING	COLOR(S)				APPLICATIONS
F1213	10.1 fl. oz. cartridge/ 12 per carton	 White	 Black	 Translucent	 Regal Blue	
		 Regal Blue	 Terra Red	 Buckskin	 Colonial Red	
		 Slate Gray	 Hartford Green	 Mustang Brown	 Sierra Tan	
		 Shake Gray	 Almond	 Dark Bronze	 Medium Bronze	
		 City Scape	 Mansard Brown	 Deep Charcoal	 Charcoal Gray	
		 Terra Cotta	 Silver Metallic	 Champagne Metallic	 Copper Penny	
		 Forest Green	 Caramel	 Brandywine		
F1226*	20 oz. sausage/ 12 per carton	*Available by made to order				



Clear General Purpose Sealant



Clear is a general-purpose, moisture-cure sealant that can be used to seal many construction materials. Clear forms a transparent, elastic, waterproof seal to most metal, anodized aluminum, glass, vinyl, wood, masonry, polystyrene and many engineered plastics. Clear bonds to most roofing, siding, window, metal flashing and HVAC components.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	COLOR(S)	APPLICATIONS
F1212	10.1 fl. oz. cartridge/ 24 per carton	 Clear	



Low VOC TPO Primer



A solvent-based liquid primer that is designed to comply with VOC regulations. It can be brush applied to EPDM or TPO roofing membranes, plastics and any other difficult bonding surface.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	COLOR(S)	APPLICATIONS
F1280LVOC	4 pints/carton	 Amber	



FlashPack Liquid Flashing

FlashPack Liquid Flashing is designed to waterproof around odd-shaped roof penetrations in difficult flashing conditions. FlashPack components are moisture-curing and will not outgas or bubble on damp surfaces like urethane sealants. FlashPack is suitable for construction site conditions in both wet and dry climates and low temperatures down to (32°F/ 0°C).

PRODUCT CODE <small>*Made to order</small>	SIZING/KIT CONTENTS	COLOR(S)	APPLICATIONS
F1501*	(4) 2 liter pouch/carton	 Gray	
F1500*	Kit Contains: (3) 2 liter pouch of Liquid Flashing, (2) 10.1 fl. oz. cartridges of M-1 Universal Adhesive & Sealant, (1) 50 ft scrim, rubber gloves & trowel		



Accessories



SnowShoes™ Polycarbonate Snow Guards

SnowShoes are molded from a tough polycarbonate polymer that can withstand heavy impacts at low temperatures. Effective on all metals, including Kynar 500® PVDF coated metal and copper. Also for use on slate, tile, EPDM rubber and PVC and TPO membranes. TPO primer is required with TPO membrane installation. They are molded with a translucent matte finish that picks up the background color of roofing materials without reflecting sunlight. Paintable if strict color matching is required. Installation is easy with translucent DuraSil adhesive provided in every kit.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	COLOR(S)		APPLICATIONS
F1202	24 shoes per pack with (3) 10.1 fl. oz. cartridges of DuraSil	<input type="checkbox"/> Clear	<input checked="" type="checkbox"/> Smoke	



SOF®-Rod Backer Rod

SOF-Rod is a cylindrical, flexible foam rod for use as a sealant backing. SOF-Rod is composed of a bi-cellular material. SOF-Rod may also be used as a gasket or sealing material as per ASTM C 717.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	COLOR(S)	APPLICATIONS
F2300	¾ in x 1400 ft	N/A	
F2301	¾ in x 550 ft		
F2302	¾ in x 330 ft		
F2303	1 ½ in x 125 ft		



HBR®-Rod Backer Rod





















HBR-Rod is a round, flexible, continuous length of extruded, closed-cell polyethylene foam backer rod for use as a backing material for elastomeric and other cold-applied sealants as per ASTM C 1330.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	COLOR(S)	APPLICATIONS
F2308	1 in x 550 ft (spool)	N/A	
F2309	1.5 in x 552 ft (6 ft cut lengths/92 per carton)		
F2304	2 in x 360 ft (6 ft cut lengths/60 per carton)		
F2305	2.5 in x 240 ft (6 ft cut lengths/40 per carton)		
F2306	3 in x 144 ft (6 ft cut lengths/24 per carton)		
F2307	4 in x 90 ft (6 ft cut lengths/15 per carton)		



Chem Link Roof Repair Tape & Accessories


Chem Link's Roof Repair Tape has advanced Microsealant® Technology and is used for leak repairs. Roof repair tape is compatible with EPDM, TPO, Hypalon®, aged PVC, modified bitumen, all metals, tile, stone, brick, concrete, wood and more.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	COLOR(S)	APPLICATIONS
ALUMIBOND TAPE			
F2378	4 in x 50 ft/6 rolls per carton	 Aluminum	 
F2377	6 in x 50 ft/4 rolls per carton		
COPPERFLASH TAPE			
F2393	4 in x 25 ft/ 6 rolls per carton	 Copper	 
F2392	6 in x 25 ft/4 rolls per carton		
F2389	8 in x 25 ft/3 rolls per carton		
DOUBLESTICK 60 TAPE			
F2381	1 in x 50 ft/ 24 rolls per carton	 Gray	 
F2350	2 in x 50 ft/12 rolls per carton		
F2352	4 in x 50 ft/6 rolls per carton		
ROOFSEAL TAPE			
F2351	2 in x 50 ft/ 12 rolls per carton	 Black	 
F2354	4 in x 50 ft/6 rolls per carton		
F2356	6 in x 50 ft/4 rolls per carton		
F2358	8 in x 50 ft/3 rolls per carton		
F2360	12 in x 50 ft/2 rolls per carton		
F2404	18 in x 50 ft/1 roll per carton		
F2365	24 in x 50 ft/1 roll per carton		
F2361	2 in x 50 ft/ 12 rolls per carton	 White	
F2362	4 in x 50 ft/6 rolls per carton		
F2364	6 in x 50 ft/4 rolls per carton		
F2366	8 in x 50 ft/3 rolls per carton		
F2368	12 in x 50 ft/2 rolls per carton		
F2403	18 in x 50 ft/1 roll per carton		
F2363	24 in x 50 ft/1 roll per carton		
F2383	4 in x 50 ft/6 rolls per carton	 Gray	
F2399	6 in x 50 ft/4 rolls per carton		
F2384	8 in x 50 ft/3 rolls per carton		
F2382	12 in x 50 ft/2 rolls per carton		
WEBSEAL TAPE			
F2370	4 in x 50 ft/6 rolls per carton	 Gray	 
F2372	6 in x 50 ft/4 rolls per carton		
F2374	8 in x 50 ft/3 rolls per carton		
F2376	12 in x 50 ft/2 rolls per carton		
ETERNA SPRAY			
F2388	EternaPrime Quart Can/12 cans per carton	 Clear	 
F2386	EternaPrime 14oz can/12 cans per carton		
F2390	2.5# Application Roller/6 per carton		



Chem Link® Caulk Guns

A select line of stock caulk guns for use with all Chem Link's gun-grade mastics.

PRODUCT CODE <small>*Made to order</small>	DESCRIPTION	COLOR(S)	APPLICATIONS
F0940	Albion B26 - 10.1 oz., 26:1 thrust ratio	N/A	
F0941	Albion B12S20 - 20 oz., 12:1 thrust ratio		
F0942	Albion B26Q - 28 oz., 26:1 thrust ratio		
F0907	Smarter Sausage 20 oz., 6:1 thrust ratio		
F0943	Albion E12 - 10.1 oz. cordless, 12 volt		
F0944	Albion E12S20 - 20 oz. cordless, 12 volt		
F0945	Albion E12Q - 28 oz. cordless 12 volt		


CHEM LINK IN NUMBERS



MANUFACTURING &
INNOVATION CENTER
SCHOOLCRAFT, MI

1

RESEARCH &
DEVELOPMENT
CENTER



MORE THAN
130
EMPLOYEES
IN THE USA

SINCE
1990



TRAINING
CENTER

A **SOPREMA**[®] GROUP COMPANY

Since our founding in 1990, Chem Link has focused on meeting the needs of contractors, consumers and industries. Our founder was an inventor and entrepreneur who built the company with the goal of creating premium products - without the risks of traditional adhesives and sealants.

In 2016, Chem Link joined the SOPREMA Group family. Since then, we have expanded and invested in our manufacturing processes to provide our customers with quality products and customer service. Today, we are a fully integrated company located in Schoolcraft, Michigan, with two manufacturing locations nationwide.



353 E. Lyons Street, Schoolcraft, MI 49087
1.800.826.1681 ■ www.chemlink.com